
# **SL150**

## 1 <sup>1</sup>/<sub>2</sub>" Snap Lock Panel

## PRODUCT DESCRIPTION


- Architectural Standing Seam Metal Roofing System
- Ideal for residential and commercial applications
- · Specially designed clip allows thermal movement
- Tested panel for rated assemblies achieves higher performance levels

1-1/2" Snap Lock Panel; max width 15.39"; Snap Lock Seam fastened with (2) #10-12 x 1" long No. 2 Phillips drive pancake head, wood screws; One Part Clip Assembly SL150R Clip fastening metal to panel to minimum 15/32" plywood decking; maximum 24" clip spacing; Panel Rollformer: Schlebach Quadro-Plus Rollformer; Maximum Allowable Roof Uplift Pressure (steel): -86.0 psf Main Field @ 24" Clip Spacing; Perimeter Pressure -108.5 at 12" Clip Spacing; Corner Pressure -116.0 psf @ 6" Clip Spacing; Oil Canning is not a Cause for Rejection.






www.4mmetals.com



#### 16" NOMINAL



## **DESIGN INFORMATION**

- Minimum Slope = 1-1/2":12"
- Actual Panel Width: 15.39" from 20" Coil
- · Solid Substrate Required
- · Architectural, Hydrokinetic Panel
- Snap Seam No Field Seaming Required
- 24 and 26 Gauge Galvalume®
- .032" Aluminum
- · 16oz Copper
- 30 Year Finish Warranty on Kynar 500 Finish
- · Weather Tight Warranty Available
- · Underlayment Required

## **TEST REPORT SUMMARY**

- Florida Building Code 2004
- Chapter 15: Roof Assemblies
- Section 1504.3.2; 1505.3; 1507.4
- · Chapter 16: Structural Design
- Chapter 22: Steel; Section 2209 Cold Form Steel
- Chapter 23: Wood
- Testing perTAS 125-03 Std. Requirements for Metal Roof Systems
- Test Assembly #6 by Underwriters Laboratory for:
  - a) UL 580-94, per FBC, Uplift Resistance of Roof Assemblies
  - b) UL 1897-98, per FBC, UpliftTests for Roof Covering Systems
- Testing perTAS 100 Wind Driven RainTest
- FPA #9860.15 Non HVHZ 24ga
- FPA #9860.16 HVHZ 24ga